



Jason Leveille <jason.levaille@gmail.com>

WebApp Error: <type 'exceptions.AttributeError'>: 'NoneType' object has no attribute 'get'

levaillej@gmail.com <levaillej@gmail.com>

Thu, Aug 13, 2009 at 9:45 PM

To: json.levaille@gmail.com

URL: <http://jasonlevaille.com/about>

Module weberror.errormiddleware:162 in __call__

```
<<     __traceback_supplement__ = Supplement, self, environ
sr_checker = ResponseStartChecker(start_response)
app_iter = self.application(environ, sr_checker)
return self.make_catching_iter(app_iter, environ, sr_checker)
except:
```

```
>> app_iter = self.application(environ, sr_checker)
```

Module beaker.middleware:149 in __call__

```
<<         headers.append(('Set-cookie', cookie))
return start_response(status, headers, exc_info)
return self.wrap_app(environ, session_start_response)
```

```
def _get_session(self):
```

```
>> return self.wrap_app(environ, session_start_response)
```

Module routes.middleware:130 in __call__

```
<<         environ['SCRIPT_NAME'] = environ['SCRIPT_NAME'][:-1]
```

```
response = self.app(environ, start_response)
```

```
# Wrapped in try as in rare cases the attribute will be gone already
```

```
>> response = self.app(environ, start_response)
```

Module pylons.wsgiapp:125 in __call__

```
<<
controller = self.resolve(environ, start_response)
response = self.dispatch(controller, environ, start_response)
```

```
if 'paste.testing_variables' in environ and hasattr(response,
```

```
>> response = self.dispatch(controller, environ, start_response)
```

Module pylons.wsgiapp:324 in dispatch

```
<<     if log_debug:
log.debug("Calling controller class with WSGI interface")
return controller(environ, start_response)
```

```
def load_test_env(self, environ):
```

```
>> return controller(environ, start_response)
```

```

Module wurdig.lib.base:38 in __call__
<<     pylons.c.use_minified_assets = asbool(
        pylons.config.get('use_minified_assets', 'false'))
        return WSGIController.__call__(self, environ, start_response)
    finally:
        meta.Session.remove()
>> return WSGIController.__call__(self, environ, start_response)
Module pylons.controllers.core:221 in __call__
<<     return response(environ, self.start_response)

        response = self._dispatch_call()
        if not start_response_called:
            self.start_response = start_response
>> response = self._dispatch_call()
Module pylons.controllers.core:172 in _dispatch_call
<<     req.environ['pylons.action_method'] = func

        response = self._inspect_call(func)
    else:
        if log_debug:
>> response = self._inspect_call(func)
Module pylons.controllers.core:107 in _inspect_call
<<         func.__name__, args)

        try:
            result = self._perform_call(func, args)
        except HTTPException, http_e:
            if log_debug:
>> result = self._perform_call(func, args)
Module pylons.controllers.core:60 in _perform_call
<<     """Hide the traceback for everything above this method"""
    __traceback_hide__ = 'before_and_this'
    return func(**args)

    def _inspect_call(self, func):
>> return func(**args)
Module wurdig.controllers.page:84 in view
<<     if c.page is None:
        abort(404)
        if c.page.slug == 'search':
            return render('/derived/page/search.html')
            return render('/derived/page/view.html')
>> if c.page.slug == 'search':
Module sqlalchemy.orm.attributes:158 in __get__
<<     if instance is None:
        return self
        return self.impl.get(instance_state(instance), instance_dict(instance))

    class _ProxyImpl(object):
>> return self.impl.get(instance_state(instance), instance_dict(instance))

```

AttributeError: 'NoneType' object has no attribute 'get'**CGI Variables**

```

CONTENT_LENGTH          '0'
HTTP_ACCEPT             'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8'
HTTP_ACCEPT_CHARSET    'ISO-8859-1,utf-8;q=0.7,*;q=0.7'
HTTP_ACCEPT_ENCODING   'gzip,deflate'
HTTP_ACCEPT_LANGUAGE   'en-us,en;q=0.5'
HTTP_CONNECTION        'close'
                        '__utma=64776756.3749782974836257000.1250210022.1250210022.1250210022.1;
                        __utmb=64776756.13.10.1250210022; __utmc=64776756; __utmz=64776756.1250210022.1.
                        1.utmcsr=(direct)|utmccn=(direct)|utmcmd=(none); wurdig=
                        59a3461b98e4b49bdb774c08fc15f83d325a6e7agAJ9cQEoVRVfYXV0aGVu
                        dGJjYXRpb25fdG9rZW5xALUmMTg1MzgxMDk5NDcxMTQ4MzkxNTcyMzA0ODY4
                        MDEwMDcxNzZmNjdxAlUDX2LkcQRVIDYwY2NmNGM4ZTQ4YjZjNDg0ZDhkNzE4
                        MTRmNGUzMmE4cQVVDl9hY2Nlc3NlZF90aW1lcQZHQdKhLQlU0qkxVDl9jcmVh
                        dGlvb190aW1lcQdHQdKhLXVlde9lLg=='
HTTP_COOKIE             '59a3461b98e4b49bdb774c08fc15f83d325a6e7agAJ9cQEoVRVfYXV0aGVu
                        dGJjYXRpb25fdG9rZW5xALUmMTg1MzgxMDk5NDcxMTQ4MzkxNTcyMzA0ODY4
                        MDEwMDcxNzZmNjdxAlUDX2LkcQRVIDYwY2NmNGM4ZTQ4YjZjNDg0ZDhkNzE4
                        MTRmNGUzMmE4cQVVDl9hY2Nlc3NlZF90aW1lcQZHQdKhLQlU0qkxVDl9jcmVh
                        dGlvb190aW1lcQdHQdKhLXVlde9lLg=='
HTTP_HOST               'jasonleveille.com'
HTTP_REFERER            'http://jasonleveille.com/'
HTTP_USER_AGENT         'Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.0.11) Gecko/2009060309 Ubuntu/8.04
                        (hardy) Firefox/3.0.11'
HTTP_X_FORWARDED_FOR   '76.100.130.0'
HTTP_X_REAL_IP          '76.100.130.0'
PATH_INFO               '/about'
REMOTE_ADDR             '127.0.0.1'
REQUEST_METHOD          'GET'
SERVER_NAME             '127.0.0.1'
SERVER_PORT             '5000'
SERVER_PROTOCOL         'HTTP/1.0'

```

WSGI Variables

```

application             <beaker.middleware.SessionMiddleware object at 0x9f921ac>
authkit.authenticate    True
                        {'cookie.secret': '12d$fg^&gh_GGNN3#', 'form.template.obj':
                        'wurdig.lib.auth.render_signin', 'form.authenticate.user.type':
authkit.config          'authkit.users.sqlalchemy_driver:UsersFromDatabase', 'setup.method': 'form,
                        cookie', 'cookie.signoutpath': '/account/signout', 'form.authenticate.user.data':
                        'wurdig.model', 'setup.enable': True, 'form.authenticate.user.encrypt':
                        'authkit.users:md5'}
authkit.intercept      ['401']
authkit.users           <authkit.users.sqlalchemy_driver.sqlalchemy_05.UsersFromDatabase object at
                        0x9f926cc>
beaker.get_session     <bound method SessionMiddleware.get_session of <beaker.middleware.
                        SessionMiddleware object at 0x9f921ac>>
beaker.session         {'_authentication_token': '18538109947114839157230486801007173367', '_id': '
                        60ccf4c8e48b6c484d8d71814f4e32a8', '_accessed_time': 1250214318.9154429,
                        '_creation_time': 1250211311.1790731}
paste.auth_tkt.logout_user <function logout_user at 0x9fbf064>
paste.auth_tkt.set_user <function set_user at 0x9fbf02c>
                        (<SimpleCookie: __utma='64776756.3749782974836257000.1250210022.1250210022.
                        1250210022.1' __utmb='64776756.13.10.1250210022' __utmc='64776756'
                        __utmz='64776756.1250210022.1.1.utmcsr=(direct)|utmccn=(direct)|utmcmd=(none)'
                        wurdig='59a3461b98e4b49bdb774c08fc15f83d325a6e7agAJ9cQEoVRVfYXV0aGVu
                        dGJjYXRpb25fdG9rZW5xALUmMTg1MzgxMDk5NDcxMTQ4MzkxNTcyMzA0ODY4

```

```

MDEwMDcxNzMzNjdxA1UDX2LkcQRVIDYwY2NmNGM4ZTQ4YjZjNDg0ZDhkNzE4
MTRmNGUzMmE4cQVVDl9hY2Nlc3NlZF90aW1lcQZHQdKhLqU0qkxVDl9jcmVh
dGlvb190aW1lcQdHQdKhLXvLde91Lg==', '__utma=64776756.3749782974836257000.
1250210022.1250210022.1250210022.1; __utmb=64776756.13.10.1250210022;
__utmc=64776756; __utmz=64776756.1250210022.1.1.utmcsr=(direct)|utmccn=(
direct)|utmcmd=(none); wurdig=59a3461b98e4b49bdb774c08fc15f8
3d325a6e7agAJ9cQEOVRVfYXV0aGVudGljYXRpb25fdG9rZW5xALUmMTg1Mz
gxMDk5NDcxMTQ4MzkxNTcyMzA0ODY4MDEwMDcxNzMzNjdxA1UDX2LkcQRVID
YwY2NmNGM4ZTQ4YjZjNDg0ZDhkNzE4MTRmNGUzMmE4cQVVDl9hY2Nlc3NlZF
90aW1lcQZHQdKhLqU0qkxVDl9jcmVhdGlvb190aW1lcQdHQdKhLXvLde91Lg==')

```

```

paste.expected_exceptions [<class 'paste.httpexceptions.HTTPException'>]
paste.httpexceptions <paste.httpexceptions.HTTPExceptionHandler object at 0x9f921ec>
paste.httpserver.thread_pool <paste.httpserver.ThreadPool object at 0xb78e368c>
paste.registry <paste.registry.Registry object at 0x9fbd08c>
paste.throw_errors True
pylons.action_method <bound method PageController.view of <wurdig.controllers.page.PageController
object at 0x9fbd6ac>>
pylons.controller <wurdig.controllers.page.PageController object at 0x9fbd6ac>
pylons.environ_config {'session': 'beaker.session', 'cache': 'beaker.cache'}
pylons.pylons <pylons.util.PylonsContext object at 0x9fbd98c>
pylons.routes_dict {'action': u'view', 'controller': u'page', 'slug': u'about'}
routes.route <routes.route.Route object at 0x9f4aeac>
routes.url <routes.util.URLGenerator object at 0x9fbd8ec>
webob.adhoc_attrs {'language': 'en-us'}
wsgi process 'Multithreaded'
wsgiorg.routing_args (<routes.util.URLGenerator object at 0x9fbd8ec>, {'action': u'view',
'controller': u'page', 'slug': u'about'})

```
